




# CAPABILITIES OVERVIEW

HUY NGUYEN

Sales Manager, Aerospace & Defense

[Huy.Nguyen@dtswb.com](mailto:Huy.Nguyen@dtswb.com)

# TEST AND MEASUREMENT SOLUTIONS






# MARKET NEEDS

TIME  
CONSUMING




Velocity  
Streamline 1  
6.882e+001  
5.927e+001  
4.972e+001  
4.017e+001  
3.062e+001  
[m s<sup>-1</sup>]



SIGNIFICANT  
INVESTMENT DOLLARS



# NEW CHALLENGES



# DTS SOLUTION



- Miniature Data Acquisition System (DAS)
- All-In-One Packaging
  - Sensor Power
  - Anti-Alias Filter
  - Analog to Digital Conversion
  - Flash Memory
- Embed into test article & near sensor
- Minimal effect to behavioral characteristics
- High shock survivability



# DTS CUSTOMER BASE


## AERO & DEFENSE



## RESEARCH



## AUTOMOTIVE



# TUBE LAUNCHED UAS




# FLIGHT MEASUREMENTS



- 6 Degrees of Freedom
  - Airframe at launch
- Pressure
  - Wings during flight



# TECHNICAL SUPPORT OFFICES



## 24.7.365

Support. Calibration. Service



Seal Beach, California



Novi, Michigan



Lincolnshire, United Kingdom



Gennevilliers, France



Bali, Indonesia





Shanghai, China



Tokyo, Japan

# DTS SOLUTION



THANK YOU

Huy.Nguyen@dtswweb.com